



Tiling Installation Solutions

PRODUCT CATALOUGE





About us



Founded in 2018, TBond Solutions has grown from a small family-owned business to a leading manufacturer of high-quality tile solutions. Our journey began with a simple goal: to provide superior bonding products that make tiling projects easier and more durable

Over the years, we have expanded our product line and our reach, but we have never lost sight of our commitment to quality and innovation. Today, we are proud to be at the forefront of the industry, continually developing new solutions to meet the evolving needs of our customers.



STAR ADHESIVE

A factory-made bagged cementitious polymer based powder, containing Portland cement and silica sand, it can be mixed with water for installing small and medium size ceramic floor tiles in interior areas using the thinset method of installation.



Features

Applications	: Designed for interior floor Application
Advantages	: For fixing ceramic tiles on interior floor & wall. Ideal for new flooring tiling. Economical & easy to use. Single Component - Just add water
Suitable Substrates	: Cement Mortar Beds. Cement Plaster. Brick Masonry. Cement Terrazzo
Coverages	: Approx. 55-60 sq. ft. per 20kg.
Bed Thickness	: Can be used up to 12mm
Packaging	: 20 kg
Colour	: Grey

Colours Available



SUPER ADHESIVE

Polymer based adhesive for fixing ceramic tiles,
Vitrified tiles and stones on interior floor, wall
and external floors.



Features

- | | |
|----------------------------|---|
| Applications | : Designed for Wall Areas |
| Advantages | : For fixing ceramic, vitrified tiles & natural stone on interior floor & wall. Ideal for tile on tile. High bond strength. Single Component - just add water |
| Suitable Substrates | : Concrete. Cement Mortar Beds. Existing Tile on floor & Wall. Ceramic tiles and stones. Cement Plaster. Brick Masonry. Cement Terrazzo |
| Coverages | : Approx. 55-60 sq. ft. per 20kg. |
| Bed Thickness | : Can be used up to 12mm |
| Packaging | : 20 kg |
| Colour | : Grey |

Colours Available



SUPREME ADHESIVE

Multipurpose highly polymer modified adhesive for fixing large format tiles and stones on interior and exterior floor & wall.

Features

Applications Advantages

- : Designed for Exterior Areas
- : For fixing extra large format tiles & thin body tiles on demanding internal & applications. Highly flexible, Light weight formula. More than 15% Higher coverage than standard adhesive. Cream & non sag formula for easier installation on floor and wall. Non-slump adhesive

Suitable Substrates

- : Concrete. Cement Mortar Beds. Existing Tile on floor & Wall. Ceramic tiles and stones. Cement Plaster. Brick Masonry. Cement Terrazzo

Coverages Bed Thickness

- : Approx. 55-60 sq. ft. per 20kg.
- : Can be used upto 12mm

Packaging Colour

- : 20 kg
- : Grey

Colours Available



DECORATIVE TILE GROUT

A carefully prepared blend of Portland cement, graded aggregates, fortifiers and colour-fast pigments, it is designed for joint width 1mm to 3mm, for porous & absorbent type tiles, non-vitreous clay tiles, and marble & glazed wall tiles.

Features

Applications

: Residential, Commercial, External. It is not a waterproof material for joints or surface.

Advantages

: For tile joints 1-3mm. Unique Colour. Hard & Durable. Economical, Mix with Grout admix for best result.

Coverages

: Varies with tile size and grout width.

Packaging

: 1Kg/packet, (25 packets in a bag)

Colour

: Available in a range of more than 36 colours.



GROUT ADDMIX

It is a polymer grout admix designed to enhance the performance of cement grouts.

Features

Application

: It improves the performance of cement grout for all types of ceramic tile, brick, marble, natural stone and agglomerate stone installation resistance. It is not waterproof material for joints or surfaces.

Advantage

: Colour-fastness. Flexible, Compressive strength. Shock & Chemical Resistance.

Coverage

: Varies by application.

Packaging

: 200ml, 350ml, (20pcs each in a Carton)



EPOXY

Filler | Resin | Hardner

It is a three-part system, comprising of Resin, Hardner, and filler. For ease of application and the ability to fill tile/stone joints the grout is best to a smooth/creamy consistency.

Epoxy Packing	Resin	Hardner	Filler
11 Kg.	2 Kg.	1 Kg.	8 Kg.
5.5 Kg.	1 Kg.	500 gm.	4 Kg.
1.1 Kg.	200 gm.	100 gm.	800 gm.

Features

- | | |
|---------------------|--|
| Applications | : Residential, Commercial, External. It is not a waterproof material for joints or surface. |
| Advantages | : For tile joints 3-12mm. Unique Colour. Hard & Durable. Economical, Mix with Grout admix for best result. |
| Coverages | : Varies with tile size and grout width. |
| Colour | : Available in a range of more than 36 colours. |



TAP & TILE CLEANER

Tbond Tap & Tile Cleaner is a fast acting acid based cleaner for regular cleaning of dirt, dust and all type of stains on tiles & Tap

Features

- **Advantages** : Good aesthetic appeal. high mechanical strength and hardness. stain free. colourfast. easy to install and clean
- **Coverages** : Varies by application.
- **Packaging** : 1 Litre.



Note : Do not use on White marbles & Natural marbles



TILE SPACER

Tile spacers allow you to keep your floor level and ensure that each tile is properly grouted with the right amount of product. If your tiles are too close together, you risk damage if they expand.

Features

1. No variation in size or dimensions.
2. Forms perfect right angle.
3. Give uniform gaps between each tile.
4. Available in different Sizes (2 mm to 10 mm.)
5. Used to get a perfect & even groove in your tiles.
6. Used for quick, easy & accurate tile alignment.
7. Made with high-quality Polythylene Plastic material.



Tbond Epoxy Grout's Coverage Charts

Tile Grout Coverage in sq.ft/ kg										
Tile Dimension (mm)			Spacing Width							
Length	Width	Thickness	2	3	4	5	6	8	10	12
300	200	6	77.7	51.8	38.9	31.1	25.9	19.4	15.5	13.0
300	300	6	97.1	64.8	48.6	38.9	32.4	24.3	19.4	16.2
450	300	6	116.6	77.7	58.3	46.6	38.9	29.1	23.3	19.4
600	300	6	129.5	86.3	64.8	51.8	43.2	32.4	25.9	21.6
600	600	8	145.7	97.1	72.9	58.3	48.6	36.4	29.1	24.3
800	800	8	194.3	129.5	97.1	77.7	64.8	48.6	38.9	32.4
1000	1000	10	194.3	129.5	97.1	77.7	64.8	48.6	38.9	32.4
1200	600	10	155.4	103.6	77.7	62.2	51.8	38.9	31.1	25.9
1200	800	10	186.5	124.3	93.3	74.6	62.2	46.6	37.3	31.1
1200	1200	12	194.3	129.5	97.1	77.7	64.8	48.6	38.9	32.4
1600	800	12	172.7	115.1	86.3	69.1	57.6	43.2	34.5	28.8
1800	1200	12	233.1	155.4	116.6	93.3	77.7	58.3	46.6	38.9
25	25	6	8.1	5.4	4.0	3.2	2.7	2.0	1.6	1.3
25	50	6	10.8	7.2	5.4	4.3	3.6	2.7	2.2	1.8
50	50	6	16.2	10.8	8.1	6.5	5.4	4.0	3.2	2.7
100	100	6	32.4	21.6	16.2	13.0	10.8	8.1	6.5	5.4
100	100	10	19.4	13.0	9.7	7.8	6.5	4.9	3.9	3.2

Epoxy Tile Grout Coverage in sq.ft/ kg										
Tile Dimension (mm)			Spacing Width							
Length	Width	Thickness	2	3	4	5	6	8	10	12
300	200	6	59.8	39.9	29.9	23.9	19.9	14.9	12.0	10.0
300	300	6	74.7	49.8	37.4	29.9	24.9	18.7	14.9	12.5
450	300	6	89.7	59.8	44.8	35.9	29.9	22.4	17.9	14.9
600	300	6	99.6	66.4	49.8	39.9	33.2	24.9	19.9	16.6
600	600	8	112.1	74.7	56.0	44.8	37.4	28.0	22.4	18.7
800	800	8	149.4	99.6	74.7	59.8	49.8	37.4	29.9	24.9
1000	1000	10	149.4	99.6	74.7	59.8	49.8	37.4	29.9	24.9
1200	600	10	119.6	79.7	59.8	47.8	39.9	29.9	23.9	19.9
1200	800	10	143.5	95.6	71.7	57.4	47.8	35.9	28.7	23.9
1200	1200	12	149.4	99.6	74.7	59.8	49.8	37.4	29.9	24.9
1600	800	12	132.8	88.6	66.4	53.1	44.3	33.2	26.6	22.1
1800	1200	12	179.3	119.6	89.7	71.7	59.8	44.8	35.9	29.9
25	25	6	6.2	4.2	3.1	2.5	2.1	1.6	1.2	1.0
25	50	6	8.3	5.5	4.2	3.3	2.8	2.1	1.7	1.4
50	50	6	12.5	8.3	6.2	5.0	4.2	3.1	2.5	2.1
100	100	6	24.9	16.6	12.5	10.0	8.3	6.2	5.0	4.2
100	100	10	14.9	10.0	7.5	6.0	5.0	3.7	3.0	2.5

Note :

- (1) This is theoretical coverage.
- (2) For Sq. Mtr./ Kg coverage, divide mentioned coverage by 10.764.
- (3) The Coverage may vary depending on actual job site and workmanship.
- (4) It may vary with the size, groove width & groove depth.

GROUT SHADES

SNOW WHITE

LILY WHITE

NEW IVORY

NEW CREAMY
WHITE

BEIGE

NATURAL

KHAKI

PASTEL GREY

SLATE GREY

STEEL GREY

PASTEL BROWN

COFFEE BROWN

TERRACOTTA

ALPINE BLUE

JET BLACK

JAISALMER

MEADOW GREEN

PEARLY PINK

EPOXY SHADES

SNOW WHITE

LILY WHITE

SEA SHELL

IVORY

ANTIQUE WHITE

NATURAL

KHAKI

BEIGE

JAISALMER

BURLYWOOD

COFFEE BROWN

PASTEL BROWN

BURGUNDY

TERRACOTTA

SCARLET

SKY BLUE

ALPINE BLUE

SAPPHIRE BLUE



RAINY DAY

MUSTARD

PASTEL GREY

MEADOW GREEN

STEEL GREY

SLATE GREY


JET BLACK

DARK GREY


DARK CHOCOLATE

Care has been taken to reproduce the shades as closely as possible.
Workmanship, site conditions & the amount of water used to the specified
mix may produce slight variations in the shades.

Glitter
Epoxy



Gold



Silver



Bronze



www.tbond.in | tbondsolutions@gmail.com

DEALERSHIP AVAILABLE

Ph. 011 45689563

Tile Adhesive , Epoxy, Admix
Tile Trowel, Coloured Grout, Spacer